



Lift here 

# PRO Zinc™ 10<sup>+</sup>

## 10-0-0

**Chelated Zinc Solution with EDTA**

**GUARANTEED ANALYSIS**

Total Nitrogen (N) .....	10.00%
10.00% Ammoniacal Nitrogen	
Sulfur (S) .....	4.00%
Zinc (Zn) .....	10.00%
10.00% Chelated Zinc	

**Derived from:** Anhydrous Ammonia and Zinc Sulfate, Chelated with Citric Acid, EDTA (Ethylenediaminetetraacetic acid).

For Soil Application in Starter Fertilizer  
For Prevention and Correction of Micronutrient Deficiency  
This product should be used on the basis of a soil and/or tissue analysis.

**KEEP OUT OF REACH OF CHILDREN**



**WARNING**

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

**F1548**  
**FOR AGRICULTURAL AND PROFESSIONAL USE ONLY**

Density: 11.33 lbs/gallon @ 68 °F  
**Net Contents: 2.50 gallons (9.46 liters)**  
**Net Weight: 28.33 lbs (12.85 kg)**



## FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT,  
CALL 1-866-944-8565.**

## IN WISCONSIN:

**Crops with high zinc requirements that can be treated are:** Corn, Onion, Spinach, Snap Beans.

**Crops with medium zinc requirements are:** Barley, Beans, Beets, Canola, Cucumber, Lettuce, Lupine, Potato, Radish, Sorghum-Sudan, Soybean, Tobacco, and Tomatoes.

## FOLIAR APPLICATION

Use 1.0 to 1.5 quarts per acre per application throughout the growing season as a maintenance program. More frequent applications at 2.0 quarts per acre may be needed to correct deficiencies once they occur. Use a minimum of 20.0 gallons of water per acre with ground spray equipment. The addition of 1 percent urea nitrogen will aid leaf penetration.

## SOIL APPLICATION

### Broadcast Application:

Severe Deficiency ..... 4.0 quarts per acre  
Moderate Deficiency ..... 2.0 quarts per acre  
Maintenance ..... 1.0 quarts per acre

**Row Application:** Use at the rate of 1.0 quart per acre as a supplement to broadcast applications.

## STORAGE AND DISPOSAL

**STORAGE:** Store product in dark fiberglass or plastic containers out of direct sunlight or UV light. Keep containers tightly closed

when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. PROTECT FROM FREEZING. Do not contaminate water, food, or feed by storage or disposal.

**DISPOSAL:** Do not reuse container. Triple rinse (or equivalent) and add rinsate to spray tank, then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water sources by runoff from cleaning of equipment, disposal of equipment wash waters or spray waste.

**HANDLING:** Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

**For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.**

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF

**cont'd. on next page**

THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lpi.com>

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

Pro-Zinc is a trademark of Loveland Products, Inc.



### WARNING

This product can expose you to chemicals including nickel, which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Chelated Zinc Solution with EDTA

### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	10.00%
10.00% Ammoniacal Nitrogen .....	
Sulfur (S) .....	4.00%
Zinc (Zn) .....	10.00%
10.00% Chelated Zinc .....	

**Derived from:** Anhydrous Ammonia and Zinc Sulfate, Chelated with Citric Acid, EDTA (Ethylenediaminetetraacetic acid).

For Soil Application in Starter Fertilizer

For Prevention and Correction of Micronutrient Deficiency

This product should be used on the basis of a soil and/or tissue analysis.

## KEEP OUT OF REACH OF CHILDREN



### WARNING

Harmful if swallowed. Avoid contact with skin, eyes or clothing.