



REBAR® 3

CHELATED MICRONUTRIENT

GUARANTEED ANALYSIS

Iron (Fe).....3.00%
3.00 % Chelated Iron*

Derived from: Iron EDDHSA and Iron EDDHA. EDDHSA is ethylenediamine di-(2-hydroxy-5-sulphophenylacetic) acid. EDDHA is ethylenediamine di-(o-hydroxyphenylacetic) acid.

*3.00% iron chelated; 0.15% from Fe-EDDHA, in which there is 0.12% o-o Fe-EDDHA; 2.85% from Fe-EDDHA, in which there is 1.805% o-o Fe-EDDHA.

KEEP OUT OF REACH OF CHILDREN

Avoid breathing spray mist. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. In case of contact with skin or eyes, flush with plenty of water.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.
GENERAL INFORMATION

F1548
FOR AGRICULTURAL AND PROFESSIONAL USE ONLY

REBAR® 3 is a source of Iron chelated (Ethylenediamine-N, N'-bis(2-hydroxy-phenyl) acetic acid and ethylenediamine di(2-hydroxy-5-sulphophenylacetic) acid readily available to the plants in any soil condition. REBAR 3's most effective application time is during vegetative plant growth. REBAR 3 applied in the root zone through drip irrigation or side dressing can be easily mixed with other chemicals or fertilizer without reacting with other materials. Rebar 3 will perform best when product is allowed to come into direct contact with plant roots.

APPLICATION RATES AND GENERAL RECOMMENDATIONS

Crops EPA grouping	Application	Timing
Berry (13)	1.0 to 4.0 qts/A 0.5 to 1 pint/1000 ft of row	
Cereal group (15) corn, rice, sorghum: grass, hay group (17) Non grass group (18), alfalfa: Group (99) cotton, sunflower	1.0 to 4.0 pts/A in furrow	
Citrus (10)	2.0 to 12.0 qts/A	
Cucurbits (09) Watermelon, squash, muskmelon	1.0 to 4.0 qts/A	at planting or during vegetative growth
Grasses (17) Turf	2.0 to 4.0 oz per 1000 sq ft	every 6 wks
Legumes (06) beans, soybeans	1.0 to 4.0 qts/A	at planting or during vegetative growth
Ornamentals	2.0 per 1000 sq ft or 2.0 to 4.0 ozs per 1000 row ft	
Tree, nut (14)	1.0 to 6.0 qts/A	at bud break through harvest
Tubers (01) potatoes, carrots, celery root	1.0 to 4.0 qts/A	at planting or during vegetative growth
Vegetable (05) Brassica leafy, cabbage, cauliflower	1.0 to 4.0 qts/A	at planting or during vegetative growth
Vegetables, bulbs (03) Onions	1.0 to 4.0 qts/A	at planting or during vegetative growth
Vegetables (04) Celery group, lettuce, spinach (leafy except brassica)	1.0 to 4.0 qts/A	at planting or during vegetative growth
Vegetables, fruiting (08) peppers, tomatoes	1.0 to 4.0 qts/A	at planting or during vegetative growth
Vineyard Grapes (99) Kiwi	1.0 to 12.0 qts/A	at bud break through verasion
All other crops	1.0 to 4.0 pts/A	

STORAGE AND DISPOSAL

STORAGE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures above 40 degrees. Do not allow to freeze. Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: Do not reuse container. Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/>) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.

TANK MIX COMPATIBILITY: This product is compatible with many agricultural pesticides and fertilizers. However, if specific information is not available, a jar test for compatibility should be conducted prior to large scale mixing.

CROP SAFETY: This product has been tested on a number of crop varieties with no phytotoxicity observed at labeled rates; however, this product has not been tested on all varieties and cultivars. Due to the large number of plant species and their associated varieties or cultivars, and due to variable growing conditions, it is impossible to test every plant for tolerance to this product. It is the responsibility of the user to determine if this product can be used safely prior to commercial use. In a small test area, test the specified rates on plants for phytotoxicity prior to general use. Before using any tank mix, test the combination on a small portion of the crop to be treated to ensure that a phytotoxic response will not occur as a result of application. Treat a small group of target crop including plant cultivars and evaluate for 3 to 7 days prior to making an application to your entire crop.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lpi.com>

Rebar is a registered trademark of Loveland Products, Inc.



WARNING

This product can expose you to chemicals including nickel, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Density: 11.35 lbs/gallon @ 68 °F

Liquid Measure: 265 gallons (1003.13 liters)

Net Weight: 3,007.75 lbs (1,364.29 kg)

Product Code: 1000824764